



1 **EC-TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use**
3 **in Potentially Explosive Atmospheres**
4 **Directive 94/9/EC**

5 EC-Type Examination Certificate Number : **BAS01ATEX2076X**

6 Equipment or Protective System: **TYPE 501/414 CONDUIT STOPPING BOX**

7 Manufacturer: **HAWKE CABLE GLANDS LIMITED**

8 Address: **Ashton-under-Lyne, Lancashire, OL7 0NA**

9 This equipment or protective system and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

10 The Electrical Equipment Certification Service, notified body number 600 in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential Report N°


BASEEFA Certification Report No. 01(C)0271/1 dated 16 August 2001

11 Compliance with the Essential Health and Safety Requirements has been assured by compliance with:
EN 50014: 1997 + Amds 1 & 2 EN 50018: 2000 EN 50019: 2000 EN 50281-1-1: 1998
except in respect of those requirements listed at item 18 of the Schedule.

12 If the sign "X" is placed after the certificate number, it indicates that the equipment or protective system is subject to special conditions for safe use specified in the schedule to this certificate.

13 This EC-TYPE EXAMINATION CERTIFICATE relates only to the design and construction of the specified equipment or protective system. If applicable, further requirements of this Directive apply to the manufacture and supply of this equipment or protective system.

14 The marking of the equipment or protective system shall include the following:-

 **II 2 GD EEx d HC EEx e II IP66**

This certificate may only be reproduced in its entirety and without any change, schedule included.

File No: **EECS 0500/01/051**

This certificate is granted subject to the general conditions of the Electrical Equipment Certification Service. It does not necessarily indicate that the apparatus may be used in particular industries or circumstances.



Electrical Equipment Certification Service
Health and Safety Executive
Harpur Hill, Buxton, Derbyshire, SK17 9JN, United Kingdom
Tel: +44(0)1298 28000 Fax: +44(0)1298 28244
Internet: www.bascefa.com e-mail: bascefa.info.eecs@hsl.gov.uk



I M CLEARE
DIRECTOR
24 August 2001



13 **Schedule**

14 **EC-TYPE EXAMINATION CERTIFICATE N° BAS01ATEX2076X**

15 **Description of Equipment or Protective System**

The Type 501/414 Conduit Stopping Box may be manufactured in brass, aluminium or stainless steel and is intended for use with an effectively filled and circular unarmoured cable enclosed within a conduit. This gland may be produced in the size range A to F, i.e. with an entry thread size in the range M20 to M75, or equivalent sizes in imperial conduit, Pg, BSPP, BSPT, NPT or NPSM threadforms. The Type 501/414 Conduit Stopping Box comprises the following components:-

1. An entry component
2. A compressible sealing ring
3. A compression assembly comprising a compression spigot with a female thread at the rear and integral back nut

16 **Report No.**

BASEEFA Certification Report No. 01(C)0271/1

17 **Special Conditions for Safe Use**

1. These glands are not suitable for use with Group IIC flameproof enclosures with a volume greater than 2000cc.
2. These glands are suitable for use within an operating temperature range of -60°C to +80°C.
3. When the gland is used for increased safety or dust protection, the entry thread shall be suitably sealed to maintain the ingress protection rating of the associated enclosure.
4. These glands are only suitable for fixed installations, the cable for which must be effectively clamped to prevent pulling and twisting.

18 **Essential Health and Safety Requirements**

Essential Health and Safety Requirements not covered by Standards listed at (9)		
Clause	Subject	Compliance
1.0.2	Analysis of possible operating faults	BASEEFA Report No. 01(C)0271/1
1.0.3	Special checking and maintenance conditions	No special requirements
1.2.2	Components for incorporation or replacement	BASEEFA Report No. 01(C)0271/1
1.2.5	Additional means of protection	Not applicable
1.2.7	Protection against other hazards	BASEEFA Report No. 01(C)0271/1
2.1.	Category 1	Not applicable



13

Schedule

14

EC-TYPE EXAMINATION CERTIFICATE N° BAS01ATEX2076X

Clause	Subject	Compliance
2.2.1	Category 2G	BASEEFA Report No. 01(C)0271/1
2.2.2	Category 2D	BASEEFA Report No. 01(C)0271/1
2.3.	Category 3	Not applicable
3.	Requirements for protective systems	Not applicable

19

DRAWING

Number	Issue	Date	Description
501/414	A	02/05/01	General Arrangement Type 501/414 Conduit Stopper Box

The detail drawing for each individual gland part referred to on the above general arrangement drawing is certified under Component Certificate BAS01ATEX2060U and held on EECS 0500/01/054.

This certificate may only be reproduced in its entirety and without any change, schedule included.

BASEEFA List Keywords
2CABLEGL



1 **SUPPLEMENTARY EC-TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use
in Potentially explosive atmospheres
Directive 94/9/EC**

3 Supplementary EC-Type Examination Certificate Number: **BAS01ATEX2076X/1**

4 Equipment or Protective System: **TYPE 501/414 CONDUIT STOPPING BOX**

5 Manufacturer: **HAWKE CABLE GLANDS LIMITED**

6 Address: **Ashton-under-Lyne, Lancashire, OL7 0NA**

7 This supplementary certificate extends EC-Type Examination Certificate No. BAS01ATEX2076X to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said Certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This Supplementary Certificate shall be held with the original Certificate.

This certificate may only be reproduced in its entirety and without any change, schedule included.

File No: EECS 0500/01/051

This certificate is granted subject to the general conditions of the Electrical Equipment Certification Service. It does not necessarily indicate that the apparatus may be used in particular industries or circumstances.



Electrical Equipment Certification Service
Health and Safety Executive
Harpur Hill, Buxton, Derbyshire, SK17 9JN, United Kingdom
Tel: +44(0)1298 28000 Fax: +44(0)1298 28244
internet: www.hseefa.com e-mail: hseefa.info.eecs@hsl.gov.uk



I M CLEARE
DIRECTOR
25 October 2001



13

Schedule

14 SUPPLEMENTARY EC-TYPE EXAMINATION CERTIFICATE N° BAS01ATEX2076X/1

Description of the Variation to the Equipment or Protective System

Extension of the operating temperature range, now -60°C to $+100^{\circ}\text{C}$.

Report No.

Not applicable.

Special Conditions For Safe Use

As the original certificate except with the inclusion of the above operating temperature range.

Essential Health and Safety Requirements

See original certificate.

DRAWING

Number	Sheet	Issue	Date	Description
501/414	1	B	02/10/01	General Arrangement, Type 501/414 Conduit Stopping Box

This certificate may only be reproduced in its entirety and without any change, schedule included.



1 **SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

- 3 Supplementary EC - Type Examination Certificate Number: **BAS01ATEX2076X/2**
- 4 Equipment or Protective System: **TYPE 501/414 CONDUIT STOPPER BOX**
- 5 Manufacturer: **Hawke International**
- 6 Address: **Oxford Street West, Ashton-under-Lyne, Lancashire, OL7 0NA**
- 7 This supplementary certificate extends EC - Type Examination Certificate No. **BAS01ATEX2076X** to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

The original certificate was issued by The Electrical Equipment Certification Service, Notified Body Number 0600, which retains responsibility for its original documentation. Baseefa (2001) Ltd., Notified Body Number 1180, is responsible only for the additional work relating to this supplementary certificate and any other supplementary certificate it has issued.

This certificate may only be reproduced in its entirety, without any change, schedule included.


Baseefa Customer Reference No. **0500**

Project File No. **04/0862**

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 0RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa (2001) Ltd
Registered in England No. 4305578 at the above address


R S SINCLAIR
DIRECTOR
On behalf of
Baseefa (2001) Ltd.



13

Schedule

14

Certificate Number BAS01ATEX2076X/2

15

Description of the variation to the Equipment or Protective System

Variation 2.1

Introduction of sizes 'Os' and 'O' Type 501/414 Conduit Stopper Boxes.

16

Report Number

Baseefa Certification Report No. 04(C)0862

17

Special Conditions for Safe Use

As listed previously

18

Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19

Drawings and Documents

Number	Issue	Date	Description
501/414	C	26-11-04	General Arrangement, 501/414 Conduit Stopping Box