



General ordering data

Order No.	9526320000
Part designation	QM 80/60/22 7032
Version	Housings, 800 mm, 220 mm, 600 mm, Sheet steel 1.2 mm (18 SWG)
EAN	4008190918231
Qty.	1 pc(s).

Dimensions

Fixing dimension, height	688 mm
Fixing dimension, width	540 mm
Height	800 mm
Length	220 mm
Width	600 mm

General details

Cover fixing	Sash fastener / hinge
Enclosure fixing	Through housing rear wall
Integral fixing	4 or 6 x M 6 studs for mounting rails
Sealing material	Polyurethane
Version cover	closed
Surface finish	RAL 7032, textured
Class of protection to EN 60529	IP 65
Weight	17,000 g
Ambient temperature, min.	-20 °C
Ambient temperature, max.	80 °C

Screwed cable glands top/bottom

M 12	176
M 16	140
M 20	90
M 25	48
M 32	30
M 40	22
M 50	12

Screwed cable glands top/bottom

M 63	4
M 75	4
Side of enclosure	bottom

Approvals

Approvals institutes

**Classifications**

eClass 4.1	27-14-12-06
eClass 5.0	27-14-91-07
eClass 5.1	27-14-91-07

Similar products

Order No.	Part designation	Version
9526220000	QM 20/20/12 7032	Housings, 200 mm, 120 mm, 200 mm, Sheet steel 1.2 mm (18 SWG)
9526230000	QM 30/20/12 7032	Housings, 300 mm, 120 mm, 200 mm, Sheet steel 1.2 mm (18 SWG)
9526240000	QM 30/30/12 7032	Housings, 300 mm, 120 mm, 300 mm, Sheet steel 1.2 mm (18 SWG)
9526280000	QM 30/30/22 7032	Housings, 300 mm, 220 mm, 300 mm, Sheet steel 1.2 mm (18 SWG)
9530240000	QM 30/40/12 7032	Housings, 300 mm, 120 mm, 400 mm, Sheet steel 1.2 mm (18 SWG)
9530250000	QM 30/40/22 7032	Housings, 300 mm, 220 mm, 400 mm, Sheet steel 1.2 mm (18 SWG)
9526250000	QM 40/30/12 7032	Housings, 400 mm, 120 mm, 300 mm, Sheet steel 1.2 mm (18 SWG)
9526290000	QM 40/30/22 7032	Housings, 400 mm, 220 mm, 300 mm, Sheet steel 1.2 mm (18 SWG)
9526420000	QM 40/40/12 7032	Housings, 400 mm, 120 mm, 400 mm, Sheet steel 1.2 mm (18 SWG)
9526430000	QM 40/40/22 7032	Housings, 400 mm, 220 mm, 400 mm, Sheet steel 1.2 mm (18 SWG)
9530260000	QM 40/50/22 7032	Housings, 400 mm, 220 mm, 500 mm, Sheet steel 1.2 mm (18 SWG)
9530270000	QM 50/30/22 7032	Housings, 500 mm, 220 mm, 300 mm, Sheet steel 1.2 mm (18 SWG)
9526260000	QM 50/40/12 7032	Housings, 500 mm, 120 mm, 400 mm, Sheet steel 1.2 mm (18 SWG)
9526300000	QM 50/40/22 7032	Housings, 500 mm, 220 mm, 400 mm, Sheet steel 1.2 mm (18 SWG)
9530280000	QM 50/50/22 7032	Housings, 500 mm, 220 mm, 500 mm, Sheet steel 1.2 mm (18 SWG)

9530290000	QM 50/60/22 7032	Housings, 500 mm, 220 mm, 600 mm, Sheet steel 1.2 mm (18 SWG)
9530300000	QM 60/30/22 7032	Housings, 600 mm, 220 mm, 300 mm, Sheet steel 1.2 mm (18 SWG)
9526270000	QM 60/40/12 7032	Housings, 600 mm, 120 mm, 400 mm, Sheet steel 1.2 mm (18 SWG)
9526310000	QM 60/40/22 7032	Housings, 600 mm, 220 mm, 400 mm, Sheet steel 1.2 mm (18 SWG)
9530310000	QM 60/50/22 7032	Housings, 600 mm, 220 mm, 500 mm, Sheet steel 1.2 mm (18 SWG)
9526440000	QM 60/60/22 7032	Housings, 600 mm, 250 mm, 600 mm, Sheet steel 1.2 mm (18 SWG)
9530320000	QM 70/30/22 7032	Housings, 700 mm, 220 mm, 300 mm, Sheet steel 1.2 mm (18 SWG)
9530330000	QM 70/40/22 7032	Housings, 700 mm, 220 mm, 400 mm, Sheet steel 1.2 mm (18 SWG)
9530340000	QM 70/50/22 7032	Housings, 700 mm, 220 mm, 500 mm, Sheet steel 1.2 mm (18 SWG)
9530350000	QM 70/60/22 7032	Housings, 700 mm, 220 mm, 600 mm, Sheet steel 1.2 mm (18 SWG)
9530360000	QM 80/30/22 7032	Housings, 800 mm, 220 mm, 300 mm, Sheet steel 1.2 mm (18 SWG)
9530370000	QM 80/40/22 7032	Housings, 800 mm, 220 mm, 400 mm, Sheet steel 1.2 mm (18 SWG)
9530380000	QM 80/50/22 7032	Housings, 800 mm, 220 mm, 500 mm, Sheet steel 1.2 mm (18 SWG)